
Spark Plug Covers



IGNITION PARTS









STANDARD PLUG COVERS REPDM RUBBER PLUG COVERS LB05F LD05F LB05EMH VB05F YB05F VD05F NGK


The NGK range of resistor covers are designed to give perfect noise suppression across all frequencies whilst engine performance is not adversely affected whatsoever.

Featuring a resistor element pressed in between the plug terminal and the high tension wire connection, the construction is extremely durable, the resistor element is long enough to prevent interior flashover, and steady resistance is maintained. Superlative ceramic materials are incorporated that resist deterioration and have small resistance variation under over-load, whilst the plug connector is made of sturdy phenolic resin, practically oblivious to tremendous heat and high tension, and very rugged rubber material. The heat press insertion makes the construction all the more tough and vibration-resistant. Special rubber liners on both ends prevent moisture from causing electrical leakage.


All motorcycle manufacturers now comply with current legislation which demands a standard of noise suppression on every vehicle. This is achieved usually by fitting NGK resistor covers though in many cases a combination of NGK resistor covers and NGK resistor spark plugs (R type) is necessary to satisfy the ministry tests. It is emphasized that despite the use of both resistor covers and spark plugs in such engines, due to the unique and superior construction of NGK products there is no loss of performance or shortening of service life.


LBO5EMH and SDO5FM being of tough EPDM rubber construction are intended for competition/trial applications.


COVER SYMBOLS EXPLANATION CHART





NGK RESISTOR PLUG COVERS


















Part No.	Stock No.	Colour	Resistor	Ø Plug	Terminal Type
SB05E	8374	Black	5 kΩ	14mm	
SB05EC	8511	Red	5 kΩ	14mm	
SB05F	8080	Black	5 kΩ	14mm	
SB05F-R	8567	Red	5 kΩ	14mm	
SD05F	8022	Black	5 kΩ	10 - 12mm	
SD05F-R	8238	Red	5 kΩ	10 - 12mm	
Description	: Straight Ty	ype		Material: Ph	enolic Resin
-			-	77	•
	NGK		818		
Management :		سال بين بين الله			

Part No.	Stock No.	Colour	Resistor	Ø Plug	Terminal Type
SD05FM	8392	Black	5 kΩ	10 - 12mm	
SD05FM-R	8673	Red	5 kΩ	10 - 12mm	
Description:	Straight R	ubber She	eathed	Material: EP	DM Rubber
	SOUSFM				
4	SODEFM SKO			108	





Description: 102° Elbow Type


8162

YB05F-R

Material: Phenolic Resin



Part No.	Stock No.	Colour	Resistor	Ø Plug	Terminal Type
VB05F	8032	Black	5 kΩ	14mm	
VB05F-R	8759	Red	5 kΩ	14mm	
VD05F	8052	Black	5 kΩ	10 - 12mm	
VD05F-R	8376	Red	5 kΩ	10 - 12mm	
VD05EG	5817	Black	5 kΩ	10 - 12mm	
Description	: 120° Elbo	w (Long)	Туре	Material: Ph	enolic Resin
		_		. +	27




5 k Ω

14mm

Description: 120° Elbow (Short) Type Material: Phenolic Resin

Red





Part No.	Stock No.	Colour	Resistor	Ø Plug	Terminal Type
LBER-R	8307	Red	None	14mm	
LBER-B	8308	Blue	None	14mm	
Description:	90° Rubbe	r Sheathe	ed	Material: Sil	icon Rubber
				41	-
			+		-
200		1	98	ĺ	41.0
-	0		6)		0
				1	
				-	


Part No.	Stock No.	Colour	Resistor	Ø Plug	Terminal Type
TRS1225-B	8787	Blue	5 kΩ	14mm	Special*
Description:	90° Comp	act Type		Material: Sil	icon Rubber
*Suitable fo	r use with	_	— racınn	spark plugs	onlyv
*Suitable fo	r use with	R7282-		opain piago	o, ,
*Suitable fo	r use with	R7282- /		49	- -
*Suitable fo	r use with	R7282- Z			
*Suitable fo	r use with	R7282- /			
*Suitable fo	r use with	R7282- /	/) - 		


Part No.	Stock No.	Colour	Resistor	Ø Plug	Terminal Type
TRS1408F-B	8871	Blue	5 kΩ	14mm	Special*
Description:	90° Comp	act Type		Material: Sil	icon Rubber
*Suitable fo	r use with	R5300A-	. ∏ racinį	g spark plug	s only
				56.7	-
	TENACE:	m	1	{	
	HOK	W	28.5	} ~	
1			+	d25.4	
				y/20.4	


Part No.	Stock No.	Colour	Resistor	Ø Plug	Terminal Type			
TRS1409-R	8733	Red	None	14mm				
Description:	90° Comp	act Type		Material: Sil	icon Rubber			
'Suitable fo	*Suitable for use with R5540F- 🖊 racing spark plugs only							
					-			
			ļ	47.5				
			_ 	47.5				
	ige is 1	6	26.5	47.5	114.5			















Part No.	Stock No.	Colour	Resistor	Ø Plug	Terminal Type			
VD05EMH	7744	Black	5 kΩ	10 - 12mm				
VD05FMH	8425	Black	5 kΩ	10 - 12mm				
Description: 120° Elbow (Compact) Type Material: EPDM Rubber								

Part No.	Stock No.	Colour	Resistor	Ø Plug	Terminal Type
SD05FP	8325	Black	5 kΩ	10 - 12mm	
Description	: Straight T	уре		Material: Ph	enolic Resin
	DOSFP SKQ	NGK -			
	DOSFP	NGK -		77	



PLUG COVER SUPERSESSIONS

Original Part No.	Stock Number	replaced by	Replacement Part No.	Stock Number
LB05E (red)	8898	├	LB05E-R	8898
LB05EH (red)	8688	├	LB05EH-R	8688
LB05EMH (red)	8160	<u> </u>	LB05EMH-R	8160
LB05F (red)	8854		LB05F-R	8854
LB10EHF (red)	8058	├	LB10EHF-R	8058
LBER (blue)	8308	├	LBER-B	8308
LBER (red)	8307		LBER-R	8307
LD05F (red)	8231		LD05F-R	8231
SB05F (red)	8567	├	SB05F-R	8567
SD05F (red)	8238	├	SD05F-R	8238
SD05FM (red)	8673	├	SD05FM-R	8673
TRS1225	8787	├	TRS1225-B	8787
TRS1408F	8871	├	TRS1408F-B	8871
TRS1409	8733	├	TRS1408F-B	8871
VB05F (red)	8759		VB05F-R	8759
VD05F (red)	8376	├	VD05F-R	8376
XB05F (red)	8592	├	XB05F-R	8592
XD05F (red)	8768]	XD05F-R	8768
YB05F (red)	8162		YB05F-R	8162

To assist in identifying the red or blue coloured variant for popular plug covers a small change to the descriptive part number has been instigated. Implementation will be managed on a running change basis i.e. when current stocks are exhausted orders will be fulfilled by supplying the replacement item. There is no change to the Stock Number. Black covers which are considered standard are unaffected.